

SK enmove

PRODUCT CATALOGUE 2026

AUTOMOTIVE LUBRICANTS

ZIC

Engine Oil & Grease Range

Passenger car engine oils, heavy duty diesel engine oils and greases engineered with YUBASE technology

SUPPLY & QUOTATION

seunghwa

TEL

+82-31-919-2285



About ZIC

Built on the base oil the world's brands rely on.

ZIC lubricants are developed by SK enmove, a global leader in Group III base oils. Every formulation starts with YUBASE — high-purity base oil supplied to major lubricant brands worldwide — for clean, stable and long-lasting protection. DORAE supplies the ZIC range below in retail packs, pails and drums.

Passenger Car Motor Oil	ZIC TOP · X9 · X7 · X5	03
Heavy Duty Engine Oil	ZIC ULTRA · X9000 · X8000 · X7000 · X5000 · X3000 · CNG	07
Grease	ZIC Royal · SK Crown Gold · EP · Wheel Bearing	10
Complete Product List	Grades & pack sizes for quotation	12–13

Premium Fully Synthetic

ZIC TOP

Ultimate protection for high-performance imported gasoline & diesel engines.



ZIC TOP

0W-40

ACEA A3/B4 **API SQ**

For German and other imported high-performance cars

Maintains protection under high output and high temperature

YUBASE ultra-high VI base oil with friction-reduction technology

Pack sizes

1L × 12



ZIC TOP LS

5W-30

ACEA C3 **API SN** **VW 504.00 / 507.00**

Low-SAPS formula protects engine and exhaust after-treatment (DPF)

VW 504.00 / 507.00 approved

For imported premium gasoline & diesel vehicles

Pack sizes

1L × 12

Fully Synthetic

ZIC X9

Fully synthetic performance for premium domestic and imported passenger cars.



ZIC X9

5W-40

ACEA A3/B4 **API SQ**

- Traditional European OEM performance
- Quiet, smooth driving

Pack sizes

1L × 12



ZIC X9 LS

5W-30 **5W-40**

ACEA C3 **API SN**

- Meets many European OEM approvals
- Protects engine & after-treatment

Pack sizes

1L × 12



ZIC X9 FS

5W-30

ACEA C2 **ACEA A5/B5** **API SN**

- European low-viscosity 5W-30
- Fuel economy with DPF protection

Pack sizes

1L × 12



ZIC X9 ZERO

0W-16 **0W-20**

API SQ **ILSAC GF-7A / 7B**

- Latest EU / US low-viscosity performance
- Fuel efficiency & engine protection

Pack sizes

1L × 12



ZIC X9 ZERO LS

0W-20

ACEA C6 / C5 **API SQ**

- Latest European low-viscosity spec
- Protects exhaust after-treatment

Pack sizes

1L × 12



ZIC X9 HYBRID

0W-16 **0W-20**

API SQ **ILSAC GF-7A / 7B**

- Dedicated to hybrid vehicles
- Fuel efficiency at frequent start-stop

Pack sizes

1L × 12

Synthetic

ZIC X7

Reliable synthetic protection and fuel economy for everyday driving.



ZIC X7

5W-30

API SQ ILSAC GF-7

- Prevents LSPI in turbo GDI engines
- Improved power and fuel economy
- Engine protection for daily driving

Pack sizes

1L × 12 | 4L × 4 | 200L Drum



ZIC X7 FE

5W-20

API SQ ILSAC GF-7

- Fuel-economy 5W-20 grade
- LSPI prevention
- Ideal for workshop and fleet service

Pack sizes

4L × 4 | 200L Drum



ZIC X7 ZERO

0W-20 0W-30

API SQ ILSAC GF-7

- Low viscosity for fuel efficiency
- Fast lubrication at cold start
- Reliable engine protection

Pack sizes

1L × 12 | 4L × 4 | 200L Drum



ZIC X7 LPG

5W-30

LPG Dedicated API SQ ILSAC GF-7

- Dedicated to LPG engines
- High-temperature thermal stability
- Optimised for city driving, taxis & fleets

Pack sizes

1L × 12 | 4L × 4 | 200L Drum

Synthetic · Low SAPS · Hybrid

ZIC X7 LS · X5

Low-SAPS diesel grades, hybrid-dedicated oil and the value X5 range.



ZIC X7 LS

5W-30

ACEA C2 / C3 API SQ

- European C2 / C3 specification
- Protects DPF
- Improved power output

Pack sizes

1L × 12 | 6L × 3 | 200L Drum



ZIC X7 ZERO LS

0W-30

ACEA C2 API SN

- European C2 specification
- Fuel efficiency
- Easy cold start

Pack sizes

1L × 12 | 6L × 3 | 200L Drum



ZIC X7 HYBRID

0W-16 0W-20

API SQ ILSAC GF-7A / 7B

- Dedicated to hybrid vehicles
- Latest low-viscosity performance
- Engine protection & fuel efficiency

Pack sizes

1L × 12 | 4L × 4



ZIC X5

5W-20

API SP ILSAC GF-6

- Best value engine oil
- 5W-20 viscosity
- Fuel efficiency

Pack sizes

4L × 4 | 200L Drum



Trucks · Buses · Off-highway

Built for the long haul.


ZIC heavy duty diesel engine oils control soot, wear and deposits under high load, support extended drain intervals and protect after-treatment systems on the latest Euro 6 engines.

Application	Recommended
Euro 6 / imported heavy trucks	ZIC ULTRA · ZIC X9000 · ZIC X8000
Euro 6 trucks & buses (standard)	ZIC X7000
Trucks, buses, construction	ZIC X5000 (CI-4)
Older fleets, economy	ZIC X3000 (CG-4)
CNG buses & trucks	ZIC CNG · ZIC CNG HD

Euro 6 · Imported Trucks

ZIC ULTRA · X9000 · X8000 · X7000

Premium oils with the latest global OEM approvals for Euro 6 and imported heavy trucks.



ZIC ULTRA

5W-30

ACEA E8(E6) / E11(E9) / E4 / E7 **API CK-4**
JASO DH-2 / DH-1 / DL-0

- Latest global OEM approvals
- Low-viscosity 5W-30 for fuel savings

Pack sizes

6L × 3 | 20L Pail



ZIC X9000

10W-40

ACEA E8(E6) / E11(E9) / E4 / E7 **API CK-4** **JASO DH-2**

- Top grade for imported commercial vehicles
- Extended drain capability

Pack sizes

4L × 4 | 6L × 3 | 20L Pail



ZIC X8000

10W-40 **15W-40**

API CK-4 **ACEA E11(E9) / E7** **JASO DH-2**

- Premium oil for Euro 6 vehicles
- Soot control & after-treatment protection

Pack sizes

4L × 4 | 6L × 3 | 20L Pail | 200L Drum



ZIC X7000

FE 10W-30 **10W-40** **15W-40**

API CK-4 **ACEA E11(E9) / E7**

- Standard oil for Euro 6 vehicles
- FE 10W-30 fuel-economy grade

Pack sizes

4L × 4 | 6L × 3 | 20L Pail | 200L Drum

Trucks · Buses · Construction

ZIC X5000 · X3000 · CNG

Dependable protection for trucks, buses, construction equipment and CNG vehicles.



ZIC X5000

10W-40 | 15W-40

API CI-4

- Reliable premium heavy-duty engine oil
- Strong detergency keeps pistons clean
- For trucks, buses and construction equipment

Pack sizes

4L × 4 | 6L × 3 | 20L Pail | 200L Drum



ZIC X3000

10W-30 | 15W-40

API CG-4

- Economical choice for commercial vehicle operators
- Reliable protection in standard service
- Older trucks and off-highway equipment

Pack sizes

6L × 3 | 200L Drum



ZIC CNG · CNG

CNG 15W-40 | CNG HD 10W-40

CNG Dedicated | Natural Gas Engine Oil

- Premium oil for CNG buses and trucks
- Controls high-temperature oxidation and nitration
- Helps prevent valve recession

Pack sizes

20L Pail | 200L Drum



Automotive · Industrial · Construction

Protection that stays in place.

ZIC and SK Crown greases combine high-quality base oils with lithium soap thickeners to resist water wash-out, heavy loads and high temperatures.

NLGI	Consistency	Typical application
000 / 00 / 0	Semi-fluid	Centralised lubrication systems, gearboxes
1	Very soft	Low-temperature service, long feed lines
2	Medium	Wheel bearings, chassis, general purpose
3	Firm	High-speed bearings, vertical shafts

Automotive · Industrial · Construction

ZIC & SK Crown Grease

Premium multipurpose, extreme-pressure and wheel-bearing greases.



ZIC Royal Grease

NLGI 2 | NLGI 3 | EP 2

Premium Multipurpose

Delivers the highest satisfaction

Premium multipurpose grease

Pack sizes

0.5kg × 24 | 3kg × 6 | 15kg Pail | 180kg Drum



SK Crown Grease Gold

NLGI 1 | NLGI 2 | NLGI 3

Lithium Soap **Multipurpose**

Li-soap with refined mineral oil

Amber, buttery multipurpose grease

Pack sizes

15kg Pail | 180kg Drum



SK Crown Grease EP

EP 000 | EP 00 | EP 1 | EP 2

Extreme Pressure **Lithium Soap**

Top-grade grease for heavy loads

Shock-load & EP protection

Pack sizes

15kg Pail | 180kg Drum



SK Crown Wheel Bearing

NLGI 2 | NLGI 3

Wheel Bearing

Top-grade wheel-bearing grease

Heat & water resistance

Pack sizes

15kg Pail | 180kg Drum

Also available

Central CG 0 / 2	Centralised lubrication grease	**15kg · 180kg (CG 2)**
CG HT 2	High-temperature grease	**15kg**

Complete Product List 1/2

Product	Grade	Key Specs	Pack Sizes
Passenger Car Motor Oil			
ZIC TOP	0W-40	ACEA A3/B4 · API SQ	1L × 12
ZIC TOP LS	5W-30	ACEA C3 · API SN	1L × 12
ZIC X9	5W-40	ACEA A3/B4 · API SQ	1L × 12
ZIC X9 LS	5W-30 / 5W-40	ACEA C3 · API SN	1L × 12
ZIC X9 FS	5W-30	ACEA C2 · ACEA A5/B5	1L × 12
ZIC X9 ZERO	0W-16 / 0W-20	API SQ · ILSAC GF-7A / 7B	1L × 12
ZIC X9 ZERO LS	0W-20	ACEA C6 / C5 · API SQ	1L × 12
ZIC X9 HYBRID	0W-16 / 0W-20	API SQ · ILSAC GF-7A / 7B	1L × 12
ZIC X7	5W-30	API SQ · ILSAC GF-7	1L × 12 · 4L × 4 · 200L Drum
ZIC X7 FE	5W-20	API SQ · ILSAC GF-7	4L × 4 · 200L Drum
ZIC X7 ZERO	0W-20 / 0W-30	API SQ · ILSAC GF-7	1L × 12 · 4L × 4 · 200L Drum
ZIC X7 LPG	5W-30	LPG Dedicated · API SQ	1L × 12 · 4L × 4 · 200L Drum
ZIC X7 LS	5W-30	ACEA C2 / C3 · API SQ	1L × 12 · 6L × 3 · 200L Drum
ZIC X7 ZERO LS	0W-30	ACEA C2 · API SN	1L × 12 · 6L × 3 · 200L Drum
ZIC X7 HYBRID	0W-16 / 0W-20	API SQ · ILSAC GF-7A / 7B	1L × 12 · 4L × 4
ZIC X5	5W-20	API SP · ILSAC GF-6	4L × 4 · 200L Drum

Pack sizes: 1L × 12 · 4L × 4 · 6L × 3 · 20L Pail · 200L Drum · grease 15kg Pail / 180kg Drum. Specifications subject to change without notice.

Complete Product List 2/2

Product	Grade	Key Specs	Pack Sizes
Heavy Duty Engine Oil			
ZIC ULTRA	**5W-30**	ACEA E8(E6) / E11(E9) / E4 / E7 · API CK-4	**6L × 3 · 20L Pail**
ZIC X9000	**10W-40**	ACEA E8(E6) / E11(E9) / E4 / E7 · API CK-4	**4L × 4 · 6L × 3 · 20L Pail**
ZIC X8000	**10W-40 / 15W-40**	API CK-4 · ACEA E11(E9) / E7	**4L × 4 · 6L × 3 · 20L Pail · 200L Drum**
ZIC X7000	**FE 10W-30 / 10W-40 / 15W-40**	API CK-4 · ACEA E11(E9) / E7	**4L × 4 · 6L × 3 · 20L Pail · 200L Drum**
ZIC X5000	**10W-40 / 15W-40**	API CI-4	**4L × 4 · 6L × 3 · 20L Pail · 200L Drum**
ZIC X3000	**10W-30 / 15W-40**	API CG-4	**6L × 3 · 200L Drum**
ZIC CNG · CNG HD	**CNG 15W-40 / CNG HD 10W-40**	CNG Dedicated · Natural Gas Engine Oil	**20L Pail · 200L Drum**
Grease			
ZIC Royal Grease	**NLGI 2 / NLGI 3 / EP 2**	Premium Multipurpose	**0.5kg × 24 · 3kg × 6 · 15kg Pail · 180kg Drum**
SK Crown Grease Gold	**NLGI 1 / NLGI 2 / NLGI 3**	Lithium Soap · Multipurpose	**15kg Pail · 180kg Drum**
SK Crown Grease EP	**EP 000 / EP 00 / EP 1 / EP 2**	Extreme Pressure · Lithium Soap	**15kg Pail · 180kg Drum**
SK Crown Wheel Bearing	**NLGI 2 / NLGI 3**	Wheel Bearing	**15kg Pail · 180kg Drum**

Pack sizes: 1L × 12 · 4L × 4 · 6L × 3 · 20L Pail · 200L Drum · grease 15kg Pail / 180kg Drum. Specifications subject to change without notice.

SK enmove · ZIC

Engineered to move further.

Prices are not listed in this catalogue.
Contact us for a tailored quotation by product, pack size and volume.

Email skyoonok@gmail.com

DISTRIBUTOR
seunghwa

TEL
+82-31-919-2285

ZIC is a registered trademark of SK enmove. Specifications subject to change without notice.